

SHERATM
PRO

Advanced High Performance
Fibre Cement Products

THE PRODUCT OF LUXURY



ABOUT THE COMPANY



3500+
Distributors Worldwide



2000+
Team Members from
Diverse Countries



5
Decades of Groundbreaking
innovation in Building
Materials



40+
Countries Presence
(Global Presence)



3+
Warehouses in India



20+
Years of India's Premium
Fiber Cement Brand

**BUILD
BETTER
LIVE
BETTER**



SHERA PRO

SHERA PRO harnesses the power of Crystal Engineering Technology to deliver luxurious, durable, and versatile solutions for various applications. It combines aesthetic elegance with superior resilience, creating a legacy of timeless durability for those who seek both premium quality and strength.




SHERA PRO offers a complete range, including Plain Fibre Cement Board, Deco Board, and Plank, making it the superior choice for walls, façades, and beyond. Experience the ultimate blend of strength and durability a solution that truly does it all.



SHERA PRO Advantage



**Protection From All
Elements**
With Unmatched
Durability



**Crystal
Engineering Technology**
Quality Etched in
Every Inch



Excellent Aesthetics
That Defines Trends



Strong & Durable
A Home As Tough
As It's Legacy



Versatile Solutions
For Visionary Homes

ADVANCED HIGH PERFORMANCE BOARDS



SHERA PRO board offers a seamless blend of luxury and functionality, making it an excellent choice for projects that demand quick installation.



SHERA PRO BOARDS

Profile	Colour	Size (mm)		Weight	Quantity	Application Area
		(Thickness)	(Width-Length)	(kg./pc.)	(pc./sq.m.)	
Square - Cut Edge	Uncoloured	4.5	1220 x 2440	20.90	0.34	External Cladding / Façade External Ceiling Wall Solution Flooring Landscaping CNC Cutting Roof Underlay
		6		27.91		
		8		37.26		
		10		46.58		
		12		55.89		
		15		69.32		
		18		83.84		


SHERA PRO BOARDS

Profile	Colour	Size (mm)		Weight	Quantity	Application Area
		(Thickness)	(Width-Length)	(kg./pc.)	(pc./sq.m.)	
Recessed Edge	Uncoloured	6	1220 x 2440	27.66	0.34	Smooth Interior Wall, False Ceiling
		8		35.74		


DECO BOARDS



BRICK



ROCCO



STUCCO



DROP



BLOSSOM



CASSIA



STRAIGHT GRAIN 3"



STRAIGHT GRAIN 4"



CASSIANO

Our Deco Boards are built for strength and durability. With beautiful textures, these are perfect for a wide range of applications and can be customized to match any design.



SHERA DECO BOARDS

Texture	Profile	Colour	Size (mm)		Weight	Quantity	Application Area
			(Thickness)	(Width-Length)	(kg./pc.)	(pc./sq.m.)	
Straight Grain	V-Groove 3"	Uncoloured	6	1200 x 2400	26.42	0.35	Wall Partitions, False Ceiling, Wall Cladding, Landscaping, External Cladding
	V-Groove 4"		8		35.59		
Cassia	Square - Cut Edge		8	1220 x 2440	37.26	0.34	
Cassiano							
Cassia							
Cassiano							
Brick							
Drop							
Blossom							
Rocco							
Stucco							

UNCOLOURED PLANKS



Classic designs that radiate sophistication, bringing timeless elegance to any space.



TEAK



STRAIGHT GRAIN



CASSIA



ANTIQUE WOOD

SHERA UNCOLOURED PLANKS

Texture	Profile	Colour	Size (mm)		Weight	Quantity	Application Area
			(Thickness)	(Width-Length)	(kg./pc.)	(pc./sq.m.)	
Antique Wood	Square - Cut Edge	Uncoloured	8	150 x 3000	5.40	2.67	Internal & External Cladding, False Ceiling, Landscaping
Teak							
Cassia							
Straight Grain	V-Cut Edge				5.40		

PRE-COLOURED PLANKS




WALNUT



GOLDEN
SAND TEAK



AFROMOSIA
BROWN TEAK



MODERN
GREY



SHINELIGHT
GOLDEN TEAK



SHINELIGHT
BROWN TEAK



Our versatile range of Pre-Coloured Planks come with a premium finish that not only beautifies your space with timeless style but also promises long-lasting appeal.


SHERA PRE-COLOURED PLANKS

Texture	Profile	Colour	Size (mm)		Weight	Quantity	Application Area
			(Thickness)	(Width-Length)	(kg./pc.)	(pc./sq.m.)	
Teak	Square - Cut Edge	Golden Sand	8	150 x 3000	5.40	2.67	Internal & External Cladding, Landscaping
		Walnut					
		Afromosia Brown					
		Shine Light Golden					
		Shine Light Brown					
		Modern Grey					

SPLENDID PLANKS



SHERA Splendid Planks offer versatile edge profiles for unique grooved wall effects, suitable for both indoor and outdoor use. They are user-friendly, install quickly, and provide an exceptional solution for your wall design needs.



DE'LINE DLO2



DE'LINE DLO5



DE'LINE DX12



YELLOW FLAME
CASSIA

SHERA SPLENDID PLANKS

Texture	Profile	Colour	Size (mm)		Weight	Quantity	Application Area
			(Thickness)	(Width-Length)	(kg./pc.)	(pc./sq.m.)	
Cassia	Yellow Flame	Uncoloured	10	150 x 3000	5.65	2.57	Internal & External Cladding, Landscaping
Smooth	DE'LINE DLO2			220 x 3000	8.60	1.67	
	DE'LINE DLO5				8.12		
	DE'LINE DX12				8.44		

FLOOR PLANK



SHERA Floor Plank offers the natural feel of wood with a cassia texture. Strong, termite-resistant, and impact-proof, it's ideal for indoor and outdoor use, saving time and costs.



CASSIA

SHERA FLOOR PLANK

Texture	Profile	Colour	Size (mm)		Weight (kg./pc.)	Quantity (pc./sq.m.)	Application Area
			(Thickness)	(Width x Length)			
Cassia	V-Groove	Uncoloured	16	150 x 3000	11.18	2.22	Flooring, Pergola, Decking, Fins, Fence, Stairs, Outdoor Furniture

SKIRT



SHERA Skirt covers joints between the wall and floor, offering durability, termite resistance, and moisture protection, while providing a clean, neat finish.



SKIRT

SHERA SKIRT

Texture	Profile	Colour	Size (mm)		Weight (kg./pc.)	Quantity (pc./sq.m.)	Application Area
			(Thickness)	(Width-Length)			
Plain	Modern	Uncoloured	12	75 x 3000	4.05	4.44	Interior
				100 x 3000	5.33	3.33	

DOOR FRAME



SHERA Door Frames are termite, moisture, and weather-resistant, with a modern look. Pre-primed and ready for painting, they suit both interior and exterior use.



DOOR FRAME

SHERA DOOR FRAME

Profile	Colour	Size (mm)		Weight (kg./pc.)	Application Area
		(Cross Section)	(Width-Length)		
Classic	Uncoloured	100 x 35	700 x 2100	24.07	Interior, Exterior
			800 x 2100	24.56	
			900 x 2100	25.06	


Tools and Equipments



Fiber Cement
Cutter



Electric
Screw Driver



Electric Saw



Cutter



SHERA Sealant PU 25
SHERA Barrel Gun

SHERA Accessories



SHERA Cement
Jointing Compound



SHERA Flexible
Jointing Compound



SHERA Fibreglass
Mesh Tape



SHERA Concrete
Bonding Agent



SHERA Screw Fix - b
(0.55-1.2 MM THICK)
For Steel Structure



SHERA Screw Fix - w
(1-3.2 MM THICK)
For Steel Structure

Description	Packing (pcs per box)	Function	Thickness of Board (mm)	Thickness of Frame (mm)
SHERA Screw Fix W-20/B-20	1000	For Fixing SHERA Board/Plank On frame	6 to 8	0.5 to 0.8
SHERA Screw Fix W-25/B-25	1000		8 to 12	0.5 to 0.8
SHERA Screw Fix W-32/B-32	500		10 to 20	0.6 to 3
SHERA Screw Fix W-45/B-45	250		10 to 20	0.6 to 4

SHERA PRO Technical Specifications

SR NO	DESCRIPTION	VALUE
01	Test Standard	IS 14862: 2000
02	Category	Type A sheet (Category 3)
03	Thickness Tolerance	Pass
04	Density	1350 ± 50 kg/m ³
05	Modulus of Rupture / Flexural Strength	> 18 N/mm ² (EMC Condition)
06	Moisture Content	<5%
07	Water Absorption	<30 %
08	Water Impermeability	pass
09	Thermal Conductivity	0.15 W/m ² K
10	Moisture Movement	0.04%
11	Compression Indention/Falling Ball Impact/ Impact Indention Test	<0.1 mm Indention
12	Combustibility/Building Combustibility	Non-Combustible
13	Ignitability	Pass
14	Fire Propagation Index	I=0.4
15	Surface Spread of Flame	Class1

SHERATM
build better, live better



Mahaphant India Private Limited

WeWork Raheja Platinum, 2nd Floor, Off Andheri-Kurla Road, Marol, Andheri East, Mumbai -400059.

Follow us on SHERA INDIA | shera.com

+91 80974 99099 | india_sales@shera.com